

# 粉體溶解自動泡藥機

*Polymer preparation system*



## 適用行業別 Applicable Industry

- |                                |                                     |                                               |                                                   |
|--------------------------------|-------------------------------------|-----------------------------------------------|---------------------------------------------------|
| 1. 皮革工業<br>1. Leather industry | 2. 陶瓷工業<br>2. Ceramic industry      | 3. 電鍍工業<br>3. Electroplating industry         | 4. 畜牧工業<br>4. Husbandry Industry                  |
| 5. 塑膠工業<br>5. Plastic Industry | 6. 纖維工業<br>6. Fiber industry        | 7. 玻璃工業<br>7. Glass industry                  | 8. 石化工業<br>8. Petrochemical industry              |
| 9. 食品工業<br>9. Food industry    | 10. 造紙工業<br>10. Paper industry      | 11. 鋼鐵工業<br>11. Steel industry                | 12. 市鎮下水道污泥<br>12. Municipal sewage sludge        |
| 13. 油漆工業<br>13. Paint industry | 14. 汽車工業<br>14. Automotive industry | 15. 染整工業<br>15. Dyeing and finishing industry | 16. 製程固液分離<br>16. Process solid-liquid separation |

## 產品特性

## Product Features

1.全自動控制，操作方便、省人力。

Full automatic control, easy operation and labour saving.

2.粉體由螺旋機輸送，調配濃度精確。

The powder is feeding by spiral machine so that the concentration of the solution can be precisely controlled.

3.儲槽密封設計，粉體不受潮。

Powder feeding hopper is sealed to avoid hydration of the powder.

4.輸送管路防潮處理設計，不堵塞。

Dehydration design of conveying pipes will avoid the problem of block.

5.可使用乾粉或濃縮液體泡製。

Feeding of dry powder or concentrated liquid.

6.可依需求為單槽、雙槽或參槽式。


Expandable storage tanks.

7.濃度可調整選擇(0.1 % ~0.4 % )

Widely adjustable concentration range(0.1 % ~0.4 % )

## 外型尺寸圖

appearance size pictures



# 品名規格 Specification

## ※品名規格/SPECIFICATION:

1	振動馬達	Agitation Motor	8	葯、液混合器	Mixer
2	推拉式電磁螺管	Pull-Type Electromagnetic Screw Tube	9	餵料機儲槽本體	Powder Feeding Hopper Lid
3	加熱線圈	Heating Coil	10	馬達減速機	Decelerator of Motor
4	餵料導出管	Outlet Pipe of Feeding	11	粉粒檢測器	Powder Level Sensor
5	輸送螺旋	Conveying Spiral	12	攪拌桶	Agitation Tank
6	本體固定座	Fixation Frame	13	攪拌機	Agitator
7	餵料機儲槽本體	Powder Feeding Hopper			

## 規格表

### Specification From

型號	溶液泡製量	藥粉槽	藥粉輸送機	攪拌機	機械重量	機械尺寸 長 * 寬 * 高
Model	Polymer Quantity(L/hr)	Storage Hopper (L)	Screw (HP)	Agitator (HP) *3 Sets	Weight(kg)	Dimension L*W*H(MM)
SPT-500	500	50	1/4	1/3*3	340	1800 * 795 * 1505
SPT-1000	1000	50	1/4	1/3*3	450	2198* 1020* 1505
SPT-1500	1500	50	1/4	1/2*3	570	2408 * 1020 * 1753
SPT-2000	2000	80	1/4	1/2*3	720	2695 * 1225* 1875
SPT-3000	3000	80	1/4	1/2*3	980	2975* 1210 * 2075
SPT-5000	5000	120	1/4	1*3	1280	3360 * 1635 * 2260
SPT-7000	7000	120	1/4	1*3	1650	3750 * 1820 * 2262
SPT-10000	10000	160	1/4	2*3	2150	4675 * 1820 * 2667

⊘ 規格、尺寸更動、恕不另行通知。The dimensions are subject to change without notice.

⊘ 特殊規格、接受訂製。We can produce in special.

## 機台配件表

### Nachine Accessories Form

#### ※選購配件

- 1.藥粉感應偵測裝置
- 2.藥粉抗凝結加熱保溫裝置
- 3.給水泵浦
- 4.定量加藥泵浦
- 5.溶液輸送泵浦
- 6.液態進料溶解混合系統
- 7.溶液儲存供應槽

#### ※Optional Equipments


- 1.Powder Level Sensor.
- 2.Anti-Condensation Heater.
- 3.Water-Feeding Pump.
- 4.Metering Dosing Pump.
- 5.Solution Feeding Pump.
- 6.Liquid Raw Material Feeding System.
- 7.Solution Storage / Feeding Tank.

#### ※標準配件

- 1.槽體 SUS304(不銹鋼)製造
- 2.藥粉供料槽
- 3.進水管路控制配件
- 4.攪拌機
- 5.電控箱
- 6.液位控制計
- 7.藥、液混合器
- 8.操作保養使用手冊
- 9.產品保固書

#### ※Standard Equipments

- 1.Tanks of SUS304.
- 2.Powder Feeding Hopper.
- 3.Water in-Feed Pipeline Control Package.
- 4.Agitator.
- 5.Control Panel.
- 6.Level Sensor.
- 7.Mixer.
- 8.Operation / Maintenance Manual.
- 9.Warranty.



銓泰工業有限公司

台灣基隆市 203 中山區中平街 164-1 號 2 樓

網址: [www.cyuantai.com](http://www.cyuantai.com)

電話: +886-2-24291528

傳真: +886-2-24226054

Email: [cyuantai2008@gmail.com](mailto:cyuantai2008@gmail.com)